

From: Wilson, Michael 1633  
Sent: Wednesday, January 31, 2001 11:44 AM  
T : STIC-ILL  
Subject: article req. 09/127624

TI Recent advances in \*\*\*chicken\*\*\* primordial germ cell technology.  
AU \*\*\*Ponce De Leon, F. A. (1)\*\*\* ; \*\*\*Blackwell, C.\*\*\* ; Gao, X. Y.;  
SO Revista Brasileira de Reproducao Animal, (1997) Vol. 21, No. 3, pp. 96-101.

TI Production of germline \*\*\*chimeric\*\*\* \*\*\*chickens\*\*\* by transfer  
of \*\*\*cultured\*\*\* \*\*\*primordial\*\*\* germ \*\*\*cells\*\*\*.  
AU Chang I K; Jeong D K; Hong Y H; Park T S; Moon Y K; Ohno T; Han J Y  
SO CELL BIOLOGY INTERNATIONAL, (1997 Aug) 21 (8) 495-9.

TI The developmental origin of primordial germ cells and the transmission of  
the donor-derived gametes in mixed-sex germline chimeras to the offspring  
in the chicken.  
AU Kagami H; Tagami T; Matsubara Y; Harumi T; Hanada H; Maruyama K; Sakurai  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Dec) 48 (4) 501-10.

PGCs from  
dorsal aorta  
of stage 13-15

TI Origin and differentiation of primordial germ cells in vertebrates,  
especially fishes.  
AU Timmermans, Lucy P. M.  
SO Netherlands Journal of Zoology, (1996) Vol. 46, No. 1-2, pp. 147-162.

TI Contributions to somatic and germline lineages of chicken blastodermal  
cells maintained in culture.  
AU Etches R J; Clark M E; Toner A; Liu G; Gibbins A M  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1996 Nov) 45 (3) 291-8.

TI Production of germline chimeric chickens, with high transmission rate of  
donor-derived gametes, produced by transfer of primordial germ cells.  
AU Naito M; Tajima A; Yasuda Y; Kuwana T  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1994 Oct) 39 (2) 153-61.

TI Production of quail chimera by transfer of early blastodermal cells and  
its use for transgenesis.  
AU Ono, Tamao (1); Muto, Shin-Ichi (1); Mizutani, Makoto; Agata, Kiyokazu;  
SO Japanese Poultry Science, (1994) Vol. 31, No. 2, pp. 119-129.

TI Preservation of chick primordial germ cells in liquid nitrogen and  
subsequent production of viable offspring  
AU Naito, M.; Tajima, A.; Tagami, T.; Yasuda, Y.; Kuwana, T.  
SO J. Reprod. Fertil. (1994), 102(2), 321-5

TI Migration of the primordial germ cells and gonad formation in the early  
chicken embryo.  
AU Hong, Y. H.; Swo, D. S.; Jeong, D. K.; Choi, K. D.; Han, J. Y. (1)  
SO Asian-Australasian Journal of Animal Sciences, (1995) Vol. 8, No. 6, pp. 557-562.

**STIC-ILL**

QP251.14554

**From:** Wilson, Michael 1633  
**Sent:** Wednesday, January 31, 2001 11:44 AM  
**To:** STIC-ILL  
**Subject:** article req. 09/127624

TI Recent advances in \*\*\*chicken\*\*\* primordial germ cell technology.  
AU \*\*\*Ponce De Leon, F. A. (1)\*\*\* ; \*\*\*Blackwell, C.\*\*\* ; Gao, X. Y.;  
SO Revista Brasileira de Reproducao Animal, (1997) Vol. 21, No. 3, pp. 96-101.

TI Production of germline \*\*\*chimeric\*\*\* \*\*\*chickens\*\*\* by transfer  
of \*\*\*cultured\*\*\* \*\*\*primordial\*\*\* germ \*\*\*cells\*\*\*  
AU Chang I K; Jeong D K; Hong Y H; Park T S; Moon Y K; Ohno T; Han J Y  
SO CELL BIOLOGY INTERNATIONAL, (1997 Aug) 21 (8) 495-9.

TI The developmental origin of primordial germ cells and the transmission of  
the donor-derived gametes in mixed-sex germline chimeras to the offspring  
in the chicken.  
AU Kagami H; Tagami T; Matsubara Y; Harumi T; Hanada H; Maruyama K; Sakurai  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Dec) 48 (4) 501-10.

TI Origin and differentiation of primordial germ cells in vertebrates,  
especially fishes.  
AU Timmermans, Lucy P. M.  
SO Netherlands Journal of Zoology, (1996) Vol. 46, No. 1-2, pp. 147-162.

TI Contributions to somatic and germline lineages of chicken blastodermal  
cells maintained in culture.  
AU Etches R J; Clark M E; Toner A; Liu G; Gibbins A M  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1996 Nov) 45 (3) 291-8.

TI Production of germline chimeric chickens, with high transmission rate of  
donor-derived gametes, produced by transfer of primordial germ cells.  
AU Naito M; Tajima A; Yasuda Y; Kuwana T  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1994 Oct) 39 (2) 153-61.

TI Production of quail chimera by transfer of early blastodermal cells and  
its use for transgenesis.  
AU Ono, Tamao (1); Muto, Shin-Ichi (1); Mizutani, Makoto; Agata, Kiyokazu;  
SO Japanese Poultry Science, (1994) Vol. 31, No. 2, pp. 119-129.

TI Preservation of chick primordial germ cells in liquid nitrogen and  
subsequent production of viable offspring  
AU Naito, M.; Tajima, A.; Tagami, T.; Yasuda, Y.; Kuwana, T.  
SO J. Reprod. Fertil. (1994), 102(2), 321-5

TI Migration of the primordial germ cells and gonad formation in the early  
chicken embryo.  
AU Hong, Y. H.; Swo, D. S.; Jeong, D. K.; Choi, K. D.; Han, J. Y. (1)  
SO Asian-Australasian Journal of Animal Sciences, (1995) Vol. 8, No. 6, pp. 557-562.

population  
Pure culture  
of PGCs isol.  
blood  
from stage 13.  
used to make  
tg w/ germline  
transmission

STIC-ILL

330549

From: Wilson, Michael 1633  
Sent: Wednesday, January 31, 2001 11:44 AM  
To: STIC-ILL  
Subject: article req. 09/127624

TI Recent advances in \*\*\*chicken\*\*\* primordial germ cell technology.  
AU \*\*\*Ponce De Leon, F. A. (1)\*\*\* ; \*\*\*Blackwell, C.\*\*\* ; Gao, X. Y.;  
SO Revista Brasileira de Reproducao Animal, (1997) Vol. 21, No. 3, pp. 96-101.

TI Production of germline \*\*\*chimeric\*\*\* \*\*\*chickens\*\*\* by transfer  
of \*\*\*cultured\*\*\* \*\*\*primordial\*\*\* germ \*\*\*cells\*\*\*.  
AU Chang I K; Jeong D K; Hong Y H; Park T S; Moon Y K; Ohno T; Han J Y  
SO CELL BIOLOGY INTERNATIONAL, (1997 Aug) 21 (8) 495-9.

TI The developmental origin of primordial germ cells and the transmission of  
the donor-derived gametes in mixed-sex germline chimeras to the offspring  
in the chicken.  
AU Kagami H; Tagami T; Matsubara Y; Harumi T; Hanada H; Maruyama K; Sakurai  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Dec) 48 (4) 501-10.

TI Origin and differentiation of primordial germ cells in vertebrates,  
especially fishes.  
AU Timmermans, Lucy P. M.  
SO Netherlands Journal of Zoology, (1996) Vol. 46, No. 1-2, pp. 147-162.

TI Contributions to somatic and germline lineages of chicken blastodermal  
cells maintained in culture.  
AU Etches R J; Clark M E; Toner A; Liu G; Gibbins A M  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1996 Nov) 45 (3) 291-8.

TI Production of germline chimeric chickens, with high transmission rate of  
donor-derived gametes, produced by transfer of primordial germ cells.  
AU Naito M; Tajima A; Yasuda Y; Kuwana T  
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1994 Oct) 39 (2) 153-61.

TI Production of quail chimera by transfer of early blastodermal cells and  
its use for transgenesis.  
AU Ono, Tamao (1); Muto, Shin-Ichi (1); Mizutani, Makoto; Agata, Kiyokazu;  
SO Japanese Poultry Science, (1994) Vol. 31, No. 2, pp. 119-129.

TI Preservation of chick primordial germ cells in liquid nitrogen and  
subsequent production of viable offspring  
AU Naito, M.; Tajima, A.; Tagami, T.; Yasuda, Y.; Kuwana, T.  
SO J. Reprod. Fertil. (1994), 102(2), 321-5

TI Migration of the primordial germ cells and gonad formation in the early  
chicken embryo.  
AU Hong, Y. H.; Swo, D. S.; Jeong, D. K.; Choi, K. D.; Han, J. Y. (1)  
SO Asian-Australasian Journal of Animal Sciences, (1995) Vol. 8, No. 6, pp. 557-562.

Mo/31

6

54-NW  
2/5-R.C